

MOTORCYCLE VALVES



Valves come in all shape and sizes. Discover the ALLIGATOR range of motorcycle valves.

CONTENTS

Valve hole 8.3.....	96
Valve hole 11.3	98

Valve hole 8.3 + 0.3 mm



Brass valves

Art. no.	TR no.	ETRTO no.	Length (mm)	Wrench size	Installation torque (Nm)	Qty	Vehicle type	Material	Surface	Valve caps
9-447413			25	11	7-10	20		CuZn	Ni	
9-511992			26	11	5-7	20		CuZn	Ni	
9-511003			33	10	3-5	20		CuZn	Ni	
9-447513	430eq	V1.10.1	34	11	7-10	20		CuZn	Ni	
9-511993			39	11	5-7	20		CuZn	Ni	

Maximum working pressure: 14 bar / 200 psi



9-447500

9-447505

Aluminum valves

Art. no.	ETRTO no.	Length (mm)	Wrench size	Bending angle (°)	Installation torque (Nm)	Qty	Vehicle type	Material	Surface	Valve caps
9-447500	V1.10.2	24	12	80	7-10	20		Al	Elox	
9-447505	V1.10.2	24	12	80	7-10	20		Al	Elox	

Maximum working pressure: 14 bar / 200 psi
Only use with nickel-plated valve core to avoid contact corrosion!



9-410503

9-440003

Tube valves - straight

Art. no.	TR no.	Length (mm)	Wrench size	Qty	Vehicle type	Material	Surface	Valve caps
9-410503	4EQ	33.5	10	20		CuZn	Ni	
9-440003		43	10	20		CuZn	Ni	

Maximum working pressure: 7 bar / 100 psi



Tube valve - 70°

Art. no.	Length (mm)	Bending angle (°)	Wrench size	Qty	Vehicle type	Material	Surface	Valve caps
9-446013	41.5	70	10	20		CuZn	Ni	

Maximum working pressure: 7 bar / 100 psi



Spare part for 9-440003 and 9-446013

Art. no.	Description	Material	Surface
9-321800	Spare part for tube valves	CuZn	Ni

Valve hole 11.3 + 0.4 mm



Brass valves for scooters

Art. no.	Bending angle (°)	Installation torque (Nm)	Qty	Vehicle type	Material	Surface	Valve caps
9-520944	90	7-10	100		CuZn	-	

Maximum working pressure: 4,5 bar / 65 psi
Maximum speed limit: 80 km/h / 50 mph



9-447512



9-447515

Aluminum valves

Art. no.	ETRTO no.	Length (mm)	Wrench size	Bending angle (°)	Installation torque (Nm)	Qty	Vehicle type	Material	Surface	Valve caps
9-447512	V2.03.15	25	14	80	3-5	20		Al	Elox	
9-447515	V2.03.15	25	14	80	3-5	20		Al	Elox	

Maximum working pressure: 14 bar / 200 psi
Only use with nickel-plated valve core to avoid corrosion!



9-521515

9-521545

Brass valves for motorcycles

Art. no.	TR no.	ETRTO no.	Length (mm)	Qty	Vehicle type	Material	Surface	Valve caps
9-521515	412	V2.03.06	33	100		CuZn	-	
9-521527	412 unmounted	V2.03.06	33	100		CuZn	-	
9-521545	412	V2.03.06	33	100		CuZn	-	

Maximum working pressure: 4,5 bar / 65 psi



Tube valves

Art. no.	TR no.	Length (mm)	Bending angle (°)	Qty	Vehicle type	Material	Surface	Valve caps
9-445011	88	38	90	20		CuZn	-	

Maximum working pressure: 7 bar / 100 psi